

Meter Box - Queensland



INDEX

[Horizon Q](#)

[QLD Series](#)

[Brackets & Accessories](#)

WEB LINKS

[QLD Meter Box Page](#)

[Ask a question / Send us an enquiry](#)

[Information about B&R](#)

[Local Sales Team Phone Numbers](#)

Horizon Q Series Galvabond Steel



INDEX

[Leaflet](#)

WEB LINKS

[Horizon Q Series – Galvabond Steel Information Page](#)

[Ask a question / Send us an enquiry](#)

[Information about B&R](#)

[Local Sales Team Phone Numbers](#)

Features

- Protection rating – IP23
- For single or multi-phase installations
- RotaDIN® – rotating / removable DIN section
- Insulated escutcheon®
- Safety double fold edges
- Easy to use gravity catch
- Easy lift off “remove & replace” bevel edge door
- Earth and neutral link numbering identification
- Padlockable
- Cord retainer for easy retention of extension cords to AS/NZS3012



OVERVIEW

Providing safety, quality and performance the Horizon ‘N’ series of enclosures are suitable for domestic and light commercial metering installations. Complying with the NSW supply authority rules and regulations, the ‘N’ series is designed for both single and multi phase installations.

MATERIALS

- Body – Galvabond Z275
- Body thickness – 1.0mm
- Hinges – steel
- Surface finish – Powdercoated RAL7035

APPLICATION

Suitable for use in domestic and light commercial metering applications and single and multi-phase installations.



Horizon Q Series

SELECTION GUIDE - HORIZON SERIES

Catalogue No.	DIN space	Inclusions				Dimensions (mm)			Panel (mm)			
		Mains service link	RCCB bar	Busbar	ID labels	Height	Width	Depth	Height	Width	Depth	Thick
Q20	24-pole	•	•	•	•	688	485	278	480	461	75	6
Q11					•	520	485	278	480	461	75	6
Q12	48-pole		•	•	•	855	485	278	480	461	75	6
Q41					•	600	390	300	550	385	100	6
Q60	30-pole			•	•	600	600	300	390	575	100	6
Q61#					•	600	600	300	570	575	100	6

Coming soon

SELECTION GUIDE – COMBINED SERVICES

Catalogue No.	Enclosures					Dimensions (mm)			Panel (mm)			
	Q20	HZN/COM1	RCCB bar	Busbar	ID labels	Height	Width	Depth	Height	Width	Depth	Thickness
Q82	•	•		•	•	1118	485	278	480	461	75	6
CSQ0401*						935	485	278	480	461	75	6
CSQ042201			•	•		520	485	278	480	461	75	6

* To be discontinued. Contact your B&R sales engineer to discuss your requirements
For more information on the Q20 refer to table above
For more information on the HZN/COM1 enclosure refer to page 90


ACCESSORIES

A range of accessories to suit Horizon Q series and combined services enclosures.

Product	Description	Catalogue No.	Q20	Q11	Q12	Q82	CSQ042201
Builder's pole	Supplied complete with 50mm capped PVC tube for insertion into tab.	QBP	•	•	•		
	Additional 50mm PVC tube	QBP/PIPE					
Flush kit	To suit 688mm high x 485mm wide enclosures	HZN/FK8	•			•	
Bolt kit	For combining with a HZN/COM enclosure	HZN/JK2	•	•	•		•



QBP



HZN/FK8

Queensland P +61 7 3714 1111
Townsville P +61 7 4727 1900
Sydney P +61 2 9915 9555
Newcastle P +61 2 4961 4433
Victoria P +61 3 9552 0552
South Australia P +61 8 8417 6222

Western Australia P +61 8 6310 4777
Tasmania P +61 3 6331 5545
Northern Territory P +61 8 8947 0870
sales@brenclosures.com.au
brenclosures.com.au



Queensland Series Enclosures



INDEX

[Leaflet](#)

WEB LINKS

[Queensland Series Information Page](#)

[Ask a question / Send us an enquiry](#)

[Information about B&R](#)

[Local Sales Team Phone Numbers](#)

Features

- Protection rating – IP23
- For single or multi-phase installations
- Double return flat face gutter
- Concealed lift off hinges
- Underground service location label
- Slide and lift off escutcheon
- Stainless steel option also available



OVERVIEW

Providing safety and durability with a stainless steel option the 'QLD' series of metering enclosure is suitable for domestic and light commercial metering installations. Complying with the QLD supply authority rules and regulations, the 'QLD' series is designed for both single and multi-phase installations.

MATERIALS

- Body – Galvanised steel to Z275 or 316 stainless steel
- Body thickness – 1.0mm or 1.2mm
- Hinges – steel
- Surface finish – Powdercoated RAL7035 or unpainted stainless steel



Queensland Series Enclosures

SELECTION GUIDE

Catalogue No.	DIN space	Inclusions			Dimensions (mm)			Panel (mm)			Material		
		RCCB bar	Busbar	ID labels	Height	Width	Depth	Height	Width	Depth behind	Thick	Type	Thickness (mm)
BR1M/SL [▲]					515	365	275	480	340	75	6	Galvanised steel	1.0
BR1M/ECB	22-pole	•	•	•	685	485	275	480	461	75	6	Galvanised steel	1.0
BR1M/ECB/S*	22-pole	•	•	•	685	485	275	480	461	75	6	Stainless Steel	1.2
BR1M/ECB/SL	15-pole	•	•	•	685	365	275	380	340	75	6	Galvanised steel	1.0
BR3M [▲]					600	620	275	566	600	75	6	Galvanised steel	1.0
BR3M/ECB	24-pole	•	•	•	770	620	275	566	600	75	6	Galvanised steel	1.0
NQ/DIN	18-pole	•	•	•	600	600	270	575	560	75	6	Galvanised steel	1.0
NQ/DIN/TP	18-pole	•	•	•	600	600	270	575	560	75	6	Galvanised steel	1.0
CSQ0401*					935	485	278	480	461	75	6	Galvanised steel	1.0
CSQ042201		•	•		520	485	278	480	461	75	6	Galvanised steel	1.0


[▲] For remote load centre installations

* To be discontinued. For more information contact your local B&R sales engineer to discuss your requirements.

ACCESSORIES

A range of accessories to suit Queensland series enclosures.

Product	Description	Catalogue No.	BR1M/SL	BR1M/ECB/S	BR1M/ECB/SL	BR3M	BR3M/ECB
Padlocking kit	To suit all QLD series enclosures	QNPLK	•	•	•	•	•
Conversion kit	Temporary power conversion kit	ECBCK				•	•



QNPLK



ECBCK

Queensland P +61 7 3714 1000
Townsville P +61 7 4727 1900
Sydney P +61 2 9915 9555
Newcastle P +61 2 4961 4433
Victoria P +61 3 9552 0552
South Australia P +61 8 8417 6222

Western Australia P +61 8 6310 4777
Tasmania P +61 3 6331 5545
Northern Territory P +61 8 8947 0870
sales@brenclosures.com.au
brenclosures.com.au



Queensland Raiser Brackets & General Accessories



INDEX

[Leaflet](#)

WEB LINKS

[QLD Raiser Brackets & General Accessories Information Page](#)

[Ask a question / Send us an enquiry](#)

[Information about B&R](#)

[Local Sales Team Phone Numbers](#)

Features

- Used as a point of attachment for above ground service mains to a premises
- Tested to meet QECMM requirements
- Supplied with stay kits
- Various options available



OVERVIEW

Raiser brackets are designed to be used as a point of attachment for above ground service mains to the premises and are suitable for use on all Queensland domestic and commercial overhead mains installations. These brackets are designed and tested to QLD local Supply Authority Rules and Regulations.

MATERIALS

- Body – Hot dipped galvanised
- Strength rating – 1.0kN

QLD Raiser Brackets & General Accessories

SELECTION GUIDE – RAISER BRACKETS

Product	Catalogue No.	Size (mm)
Fascia mounting	2F	600
	3F	900
	4F	1200
	5F	1500
Fascia mounting (North Qld)	3NQF	900
Fascia mounting with service fuse provision	2FL*	600
	3FL*	900
Under fascia mounting	2UF*	600
	3UF*	900
Rafter mounting	2R*	600
	3R*	900
	4R*	1200
Raiser bracket stay kit	RBSK	
Qld side pull kit 360°	QSPK360	
* To be discontinued		



2F



5F




3NQF



2FL



2UF



2R

SELECTION GUIDE – GENERAL ACCESSORIES

Product	Catalogue No.	Dimensions (mm)		
		Height	Width	Thick
Insulated panel – Full sheet	BS06	912	1218	6
	BS08	912	1218	8
Insulated panel – cut to size*	BS06/CTS			6
	BS08/CTS			8
Insulated panel – precut (6mm)	BMP0303/06	300	300	6
	BMP300680/06	300	680	6
	BMP355405/06	355	405	6
	BMP360560/06	360	560	6
	BMP360595/06	360	595	6
	BMP400400/06	400	400	6
	BMP0402/06	450	225	6
	BMP0404/06	450	450	6
	BMP450450/06	450	450	6
	BMP0604/06	600	450	6
Insulated panel – precut (8mm)	BMP1209/06	1200	900	6
	BMP0404/08	450	450	8
	BMP0603/08	600	300	8
	BMP0606/08	600	600	8
	BMP0903/08	900	300	8
	BMP0906/08	900	600	8
	BMP0909/08	900	900	8
	BMP1209/08	1200	900	8

* Panels can be cut to size to suit requirements upon request.



QSPK360



BMP0906/08

Queensland P +61 7 3714 1111
Townsville P +61 7 4727 1900
Sydney P +61 2 9915 9555
Newcastle P +61 2 4961 4433
Victoria P +61 3 9552 0552
South Australia P +61 8 8417 6222

Western Australia P +61 8 6310 4777
Tasmania P +61 3 6331 5545
Northern Territory P +61 8 8947 0870
sales@brenclosures.com.au
brenclosures.com.au

